RITRAMA S.p.A. Headquarters
Via Senatore Simonetta, 24
20867 Caponago (MB) - ITALY
Ph +39 02 9554591 - Fax +39 02 95545901
www.ritrama.com - info@ritrama.com

EN 13501-1

Product:

4-GL3B-09279 RI-JET DECO WALL 150 LINEN AP940 PERMANENT WK135

Standard reference identification:

- EN 13501 – 1 Fire classification of construction products and building elements – Part 1: Classification using test data from reaction to fire tests.
- EN ISO 11925 – 2 Reaction to fire tests for building products – Part 2: Ignitability when subjected to direct impingement of flame.
- EN 13823 Reaction to fire tests for building products – Building products excluding floorings exposed to the thermal attack by a single burning item.

Classification and direct field of application

This classification has been carried out in accordance with clause 8.2 of EN 13501-1: 2009.

The product in relation to its fire reaction behavior is classified:	**B**
The additional classification in relation to smoke production is:	**s2**
The additional classification in relation to flaming droplets/particles is:	**d0**

The format of the reaction to fire classification for construction products except flooring is:

Fire behaviour		*Smoke production*			*Flaming droplets*	
B	-	s	2	-	d	0

Field of application

This classification is valid for the following end use conditions:

- Glued on non-combustible substrate or gypsum plasterboard
- Without gap
- Type of fixings: glued with glue already applied on the product

Massimiliano Cornelio
Graphics Dev. Specialist -R&D Dept.

RI.TRA.MA. S.p.A.
Via Senatore Simonetta, 24
20867 CAPONAGO (MB)
P. IVA 01676140153