

HP Latex Inks Substrate Certificate

Certified for
HP Latex Inks



Supplier Name

Ritrama

Substrate Name

RI-JET 50 Air Flow Repositionable

Thickness / Weight

50µm / 70g/m²

Certification Date

August 11, 2016

Certification Number

August 18, 2016 - 26551

This substrate is hereby certified for HP Latex Printing Technologies

Color Concepts NL

This substrate is certified for the following HP Latex Printers

Latex 300 series

For more information, please refer to the HP media Solutions Locator <http://hp.com/go/mediasolutionslocator>

This substrate has been evaluated under the standard comprehensive testing procedure, in conjunction with HP Latex substrate certification criteria.

Please note: By certifying your product this means you support it's use on HP Latex equipment and its uses, and that you will perform any due diligence necessary should complaints arise. Further, by receiving approval, you agree that if there are any manufacturing or product changes that may impact substrate performance you will have the product re-tested/ re-certified, to eliminate the risk of issues in the field as a result.



Media Certification for HP Latex

Evaluation Report



Vendor Name*

Ritrama

Certification Number

August 18, 2016 - 26551

Date of evaluation

August 11, 2016

Qualification

PASS

Platform

Latex 360

Certification Center

Color Concepts NL

Substrate Information

Substrate Name

RI-JET 50 Air Flow Repositionable

Lot Number

0

Substrate Type

Self Adhesives

Substrate Sub Type

Cast

Thickness / Weight

50µm / 70g/m2

Profiling Process

| Printer | Ink | RIP | Pass Mode | Vacuum | Airflow |
|--------------|--------------|-------------|------------|--------|---------|
| Latex 360 | LX 831C | Independent | 10p bi_120 | 25 | 175 |
| Drying Temp. | Curing Temp. | Ink Limit | OMAS | WUDTO | PMIN |
| N/A | 110 | N | E | N/A | N/A |

Image Quality

| Color Gamut | L*min | Area Fill Uniformity |
|-------------|-------|----------------------|
| 506563 | 10,5 | AVERAGE |

Media Printer Interaction

| Ink Transfer | Marks | Wrinkles | Dim. Stability | Rewetting |
|--------------|-------|----------|----------------|-----------------|
| N/A | GOOD | GOOD | -0,11% | GOOD, 24C 62%RH |

Image Handle Ability

| Folding/Creasing | Scratchability | Dry Rub | Wet Rub | Cross Cut | Ink Adhesion | Ink Cracking |
|------------------|----------------|---------|---------|-----------|--------------|--------------|
| N/A | AVERAGE | GOOD | AVERAGE | N/A | GOOD | N/A |

| Ink Transfer | Waterfastness |
|--------------|-----------------|
| N/A | Water Resistant |

Overall Qualification

| |
|------|
| PASS |
|------|

Comments

| |
|---|
| 0 |
|---|

HP's "Media Certification Program" ("Program") supplies information to media manufacturers, suppliers, and customers to assist in evaluating media compatibility with printers and inks from HP's Graphics Solutions Business. Media is supplied by independent third-party manufacturers. Inclusion in the Program and "Certified for" media shall not be construed as an endorsement by HP for any of the media or manufacturers. HP makes no representation or warranty of any kind for any media in the Program including but not limited to media availability, media quality, media performance, or manufacturer changes that may impact any media characteristics. The information contained herein is subject to change without notice. HP makes no representation as to the Program information's completeness. Services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. This information is provided as a courtesy, free of charge, "AS-IS" by HP. HP MAKES NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND REGARDING THIS INFORMATION. HP SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER BASED ON CONTRACT, TORT OR ANY OTHER LEGAL THEORY IN CONNECTION WITH OR ARISING OUT OF THE FURNISHING OR USE OF THIS INFORMATION.

In conjunction with Color Concepts

